SECOND REGULAR SESSION

SENATE BILL NO. 1011

98TH GENERAL ASSEMBLY

INTRODUCED BY SENATORS CUNNINGHAM AND ROMINE.

Read 1st time February 1, 2016, and ordered printed.

6226S.01I

ADRIANE D. CROUSE, Secretary.

AN ACT

To require the conveyance of certain state properties, with an emergency clause.

Be it enacted by the General Assembly of the State of Missouri, as follows:

Section 1. 1. The director of the department of natural resources

- 2 shall, at public auction, sell, transfer, grant, convey, remise, release and
- 3 forever quitclaim to all interest of the state of Missouri in property
- 4 located in Oregon County, Missouri, more particularly described as
- 5 follows:
- 6 TRACT 1:
- 7 TOWNSHIP 22 NORTH, RANGE 2 WEST:
- 8 Section 3: All that part lying West of, or right bank of, the
- 9 Eleven Point River;
- Section 4: All that part of the East Half lying West of, or
- right bank of, the Eleven Point River; All of Lot 1 of the
- 12 **NW1/4**;
- Section 5: All of Lot 1 of the NE1/4; All of Lots 1 and 2 of
- the NW1/4; All that part of the E1/2 of Lot 3 of the NW1/4 of
- 15 Section 5 which lies South and West of Billmore Hollow,
- 16 EXCEPT therefrom that part lying north of Hwy "Y"; All of
- 17 the W1/2 of Lot 3 of the NW1/4;
- Section 6: All of the E1/2 of Lots 2 and 3 of the NE1/4;
- 19 Section 9: All of the North Fractional Half of the NE
- Fractional Quarter lying West of, or right bank of, the
- 21 Eleven Point River;
- 22 TOWNSHIP 23 NORTH, RANGE 2 WEST:
- 23 Section 33: All of the SE1/4;
- Section 34: All of the SW1/4 lying West of, or right bank of,

25	the Eleven Point River.
26	PARCEL I:
27	An easement for ingress and egress over and across an
28	existing private road, 50 feet in width, running
29	Southeasterly from Highway "Y" to a point near the South
30	line of Section 32, Township 23, Range 2, and thence East
31	along the South line of Sections 32 and 33, in Township 23,
32	Range 2 to the West line of the above described property.
33	TRACT 2:
34	All of Lot One (1) of the Northeast Quarter (NE1/4) and all
35	that part of the Northwest Quarter (NW1/4) of the
36	Southeast Quarter (SE1/4) lying South and East of Highway
37	Y, in Section Six (6), Township Twenty-two (22), Range Two
38	(2) West. The East Half (E1/2) of the Southeast Quarter
39	(SE1/4) of Section Six (6), Township Twenty-two (22) North,
40	Range Two (2) West. All the Southwest Quarter (SW1/4) of
41	the Southeast Quarter (SE1/4) of Section Six (6), Township
42	Twenty-two (22) North, Range Two (2) West of the Fifth
43	Principal Meridian, except therefrom a strip of land 10 feet
44	wide (being the south ten feet) of SE1/4 of said Section 6
45	for roadway, and except right of way for State Highway Y
46	as shown recorded in Book 172 at Page 86 of the records of
47	Oregon County, Missouri.
48	TOWNSHIP 22 NORTH, RANGE 2 WEST
49	Section 5: All of the North Half of the Southeast Quarter;
50	Block 2 in Charles W. Melton and wife and E. W. Sitton and
51	wife Subdivision of the SE 1/4 of the SE1/4 of Section 5 as
52	shown in Plat Book 8 at Page 21 of the records of Oregon
53	County, Missouri; All of the Southwest Quarter of the
54	Southeast Quarter; All of the Southwest Quarter;
55	Section 7: All of the East Half of the Northeast Quarter;
56	Block 1 of J. F. Melton Subdivision of the SW1/4 of the
57	NE1/4 of Section 7 as shown in Plat Book 6 at Page 5 of the
58	records of Oregon County, Missouri; All of the Northwest
59	Quarter of the Northeast Quarter;
60	Section 8: Block 5 in S. D. Melton's Subdivision of the

NE1/4 of the NE1/4 of Section 8 as shown in Plat Book 7 at

74

75

77

8

9

10

1112

13

14

15

62 Page 16 of the records of Oregon County, Missouri; Lot 2 63 Block 1 in S. D. Melton's Subdivision of the SW1/4 of the 64 NE1/4 of Section 8 as shown in Plat Book 7 at Page 16 of the records of Oregon County, Missouri; All of the 65 66 Northwest Quarter of the Northeast Quarter; All of Block 67 1 in G. T. Thomasson and wife's Subdivision of the NE1/4 of 68 the SW1/4 of Section 8 as shown in Plat Book 6 at Page 38 of the Records of Oregon County, Missouri; All of Lot 1 of 69 Block 1 in G. T. Thomasson and wife's former Subdivision 70 of the NW1/4 of the SW1/4 of Section 8 as shown in Plat 71 72 Book 7 at Page 17 of the Records of Oregon County, 73 Missouri; All of the Northwest Quarter.

- 2. The commissioner of administration may set the terms and conditions for the conveyance as the commissioner deems reasonable so long as such terms do not conflict with the requirements of subsection 1 of this section.
- 3. The attorney general shall approve the form of the instrument of conveyance.
- 4. The property described under subsection 1 of this section shall be sold, transferred, granted, conveyed, remissed, released and forever quitclaimed by the director of the department of natural resources by December 31, 2016.

Section 2. 1. The director of the department of natural resources shall, at public auction, sell, transfer, grant, convey, remise, release and forever quitclaim to all interest of the state of Missouri in property located in Oregon County, Missouri, more particularly described as follows:

6 Tract 1:

7 Township 23 North, Range 2 West

Section 20: That part of the Northeast Quarter of the Southeast Quarter lying North and East of a line beginning at C-E-E 1/64th corner, thence in a Southeasterly direction to N-S 1/64th corner, Sections 20 and 21. All that part of the following described tracts lying East of Highway Y: The Southeast Quarter, the North Half of the Southwest Quarter, and the South Half of the Northwest Quarter: EXCEPT that part of the Northeast Quarter of the

16	Southeast Quarter lying North and East of a line beginning
17	at C-E-E 1/64th corner, thence in a Southeasterly direction
18	to N-S 1/64th corner, Sections 20 and 21.
19	Section 21: All of the East Fractional Half of the Southeast
20	Fractional Quarter lying west of, or right bank of, the
21	Eleven Point River All that part of the Southwest
22	Fractional Quarter of the Southeast Fractional Quarter
23	lying west of, or right bank of, the Eleven Point River; All
24	of the Southeast Quarter of the Southwest Quarter; All that
25	part of the West Fractional Half of the Southwest Quarter
26	of Section 21 that lies south of, or right bank of, the Eleven
27	Point River; All that part of the NE1/4 of the SW1/4 and all
28	that part of the NW1/4 of the SE1/4 lying west of, or the
29	right bank of the Eleven Point River.
30	Section 27: All that part of Section 27 lying west of, or
31	right bank of, the Eleven point river EXCEPT THAT PART
32	of the West Fractional Half of the Southwest Fractional
33	Quarter south and west and being right bank of Eleven
34	Point River lying north of the 1/64th line east to Eleven
35	Point River from the N-S 1/64th corner of Sections 27 and
36	28;
37	Section 28: All that part of Section 28 lying west of, or
38	right bank of the Eleven Point River EXCEPT THAT PART
39	of the Northeast Fractional Quarter of the Southeast
40	Fractional Quarter west and being right bank of Eleven
41	Point River lying east of the 1/64th line beginning at C-E-E
42	1/64th corner, thence south along E-E 1/64th line to C-S-NE-
43	SE 1/256th corner;
44	Section 29: All that part of the following described tracts
45	lying East of Highway Y: The South Half of the North Half,
46	the North Half of the Southeast Quarter. All that part of
47	the following described tracts lying East of Highway Y:
48	The North Half of the North Half.
49	Section 33: NE1/4 of Section 33
50	Section 34: All that part of the N1/2 lying west of, or right
51	bank of the Eleven Point River.

52 Tract 2:

53

54

55

56

57

58

59

60

61 62

63

64

65

66 67

68

6970

7172

73

7475

76

77

78

79

80

8182

83

84

85

8687

88

89

A Tract of land located in part of the NW1/4 of Section 33, Township 23 North, Range 2 West, 5th P.M., more particularly described as follows: BEGINNING at the Northwest corner of the NW1/4 of said Section 33, a 5/8" rebar with an aluminum cap stamped "Norsworthy PLS 2235"; THENCE South 88 degrees 54 minutes 38 seconds East along the North line of the NW1/4 of said Section 33, a distance of 2685.46 feet to the Northeast corner of the NW1/4 of said Section 33; THENCE South 01 degrees 59 minutes 05 seconds West along the East line of the NW1/4 of said Section 33; THENCE South 01 degrees 59 minutes 05 seconds West along the East line of the NW1/4 of said Section 33, a distance of 2095.82 feet to a 5/8" rebar with a plastic cap stamped "Norsworthy PLS 2235"; THENCE North 88 degrees 07 minutes 05 seconds West, a distance of 1623.93 feet to a 5/8" rebar with a plastic cap stamped "Norsworthy PLS 2235"; THENCE North 29 degrees 22 minutes 35 seconds West, a distance of 405.72 feet to a 5/8" rebar with a plastic cap stamped "Norsworthy PLS 2235"; THENCE North 77 degrees 45 minutes 53 seconds West, a distance of 857.10 feet to a 5/8" rebar with a plastic cap stamped "Norsworthy PLS 2235" set on the West line of the NW1/4 of said Section 33; THENCE North 01 degrees 44 minutes 27 seconds East along the West line of the NW1/4 of said Section 33, a distance of 1557.81 feet to the point of beginning. Contains 118.804 acres, more or less.

Also One Hundred (100) feet off the North end of the E1/2 of Section 32, Township 23 North Range 2 West lying east of State Highway Y. Contains 5.32 acres, more or less.

Tract 3:

A Tract of land located in part of the W1/2 of Section 33, Township 23 North, Range 2 West, 5th P.M., more particularly described as follows: COMMENCING at the Northwest corner of the NW1/4 of said Section 33, a 5/8" rebar with an aluminum cap stamped "Norsworthy PLS 2235"; THENCE S01°44'27"W along the West line of the W1/2 of said Section 33, a distance of 1557.81 feet to a 5/8" rebar

90 with a plastic cap stamped "Norsworthy PLS 2235", the true 91 POINT OF BEGINNING; THENCE S77°45'53"E, a distance of 92 857.10 feet to a 5/8" rebar with a plastic cap stamped 93 "Norsworthy PLS 2235";THENCE S29°22'35"E, a distance of 94 405.72 feet to a 5/8" rebar with a plastic cap stamped "Norsworthy PLS 2235"; THENCE S88°07'05"E, a distance of 95 96 1623.93 feet to a 5/8" rebar with a plastic cap stamped 97 "Norsworthy PLS 2235" set on the East line of the W1/2 of said Section 33; THENCE S01°59'05"W along the East line of 98 99 the W1/2 of said Section 33, a distance of 3198.69 feet to the Southeast corner of the W1/2 of said Section 33, a 5/8" rebar 100 101 with an aluminum cap stamped "Norsworthy PLS 2235"; THENCE N88°46'02"W along the South line of the W1/2 of 102 103 said Section 33, a distance of 2376.56 feet; THENCE 104 N88°59'23"W, continuing along the South line of the W1/2 of said Section 33, a distance of 286.30 feet to the Southwest 105 106 corner of the W1/2 of said Section 33, a 5/8" rebar with an 107 aluminum cap stamped "Norsworthy PLS 2235"; THENCE N01°44'27"E along the West line of the W1/2 of said Section 108 109 33, a distance of 3730.78 feet to the point of beginning. 110 ALSO a tract of land located in part of the E1/2 of Section 32, Township 23 North, Range 2 West, 5th P.M. lying East 111 112 of State Highway "Y" more particularly described as follows: BEGINNING at the Northeast corner of the E1/2 of 113 114 said Section 32, a 5/8" rebar with an aluminum cap stamped "Norsworthy PLS 2235"; THENCE S01°44'27"W along the 115 116 East line of the E1/2 of said Section 32, a distance of 117 5288.59 feet to the Southeast corner of the E1/2 of said 118 Section 32, a 5/8" rebar with an aluminum cap stamped 119 "Norsworthy PLS 2235"; THENCE N88°59'23"W along the 120 South line of the E1/2 of said Section 32, a distance of 1174.89 feet to a 5/8" rebar with a plastic cap stamped 121 122 "Norsworthy PLS 2235" set in the centerline of a road; 123 THENCE Northwesterly along the centerline of said road, 124 the following 7 courses and distances:

- 1) N53°07'50"W, a distance of 232.94 feet;
- 126 2) Northwesterly along the arc of a curve to the

125

163

127 right, a distance of 329.08 feet, said curve having a radius 128 of 853.54 feet and a central angle of 22°05'25"; 129 3) N31°02'27"W, a distance of 174.37 feet; 130 4) Northwesterly along the arc of a curve to the 131 right, a distance of 114.74 feet, said curve having a radius 132 of 376.24 feet and a central angle of 17°28'24"; 133 5) N13°34'03"W, a distance of 60.83 feet; 134 6) Northwesterly along the arc of a curve to the left, a distance of 116.41 feet, said curve having a radius of 135 136 135.37 feet and a central angle of 49°16'19"; N62°50'22"W, a distance of 45.54 feet to a 5/8" 137 7) 138 rebar with a plastic cap stamped "Norsworthy PLS 2235" set in the Easterly right-of-way line of said Highway "Y"; 139 140 THENCE Northerly along the Easterly right-of-way line of said Highway "Y" the following 11 courses and distances: 141 142 1) N10°58'49"E, a distance of 596.72 feet; 2) Northerly along the arc of a curve to the left, 143 144 a distance of 532.04 feet, said curve having a radius of 1202.90 feet and a central angle of 25°20'30"; 145 3) N14°53'34"W, a distance of 443.59 feet; 146 Northerly along the arc of a curve to the right, 147 4) a distance of 188.16 feet, said curve having a radius of 148 929.48 feet and a central angle of 11°35'55"; 149 N03°08'38"W, a distance of 881.47 feet; 150 151 **6)** N02°01'44"W, a distance of 385.89 feet; 152 7) Northerly along the arc of a curve to the right, a distance of 294.42 feet, said curve having a radius of 153 154 1020.52 feet and a central angle of 16°31'47"; 8) N13°33'40"W, a distance of 411.18 feet; 155 156 9) Northerly along the arc of a curve to the right, a distance of 145.39 feet, said curve having a radius of 157 872.95 feet and a central angle of 09°32'33"; 158 N04°25'44"W, a distance of 542.80 feet; 159 10) 160 11) Northerly along the arc of a curve to the right, 161 a distance of 136.94 feet, said curve having a radius of 162 531.11 feet and a central angle of 14°46'23" to a 5/8" rebar

with a plastic cap stamped "Norsworthy PLS 2235" set on

164 the North line of the E1/2 of said Section 32; THENCE 165 S88°50'26"E along the North line of the E1/2 of said Section 166 32, a distance of 2306.26 feet to the point of beginning. 167 EXCEPT One Hundred (100) feet off the North end of the 168 E1/2 of Section 32, Township 23 North Range 2 West lying 169 east of State Highway Y. 170 EXCEPT FROM THE ABOVE DESCRIBED TRACTS: 171 Tract of land located in part of the NW1/4 of the SW1/4, the S1/2 of the SW1/4 and the SW1/4 of the SE1/4 of Section 28 172 173 and in part of the E1/2 of Section 32 and in part of the 174 NW1/4 of the NE1/4 and the W1/2 of Section 33, all in Township 23 North, Range 2 West, 5th P.M., more 175 particularly described as follows: BEGINNING at the 176 177 Northwest corner of said Section 33, a 5/8" rebar with an aluminum cap stamped "Norsworthy PLS 2235"; THENCE 178 179 N01°28'21"E along the West line of the S1/2 of the SW1/4 of 180 said Section 28, a distance of 1321.75 feet to the Southwest 181 corner of the NW1/4 of the SW1/4 of said Section 28, a 5/8" rebar with a plastic cap stamped "Norsworthy PLS 2235"; 182 183 THENCE N06°33'11"E, a distance of 44.17 feet to a 5/8" rebar 184 with a plastic cap stamped "Norsworthy PLS 2235"; THENCE S87°39'26"E, a distance of 43.01 feet to a 5/8" rebar 185 186 with a plastic cap stamped "Norsworthy PLS 2235"; THENCE S37°01'33"E, a distance of 292.00 feet to a 5/8" 187 188 rebar with a plastic cap stamped "Norsworthy PLS 2235"; THENCE S47°29'15"E, a distance of 714.87 feet to a 5/8" 189 190 rebar with a plastic cap stamped "Norsworthy PLS 2235"; 191 THENCE S00°01'21"E, a distance of 577.93 feet to a 5/8" 192 rebar with a plastic cap stamped "Norsworthy PLS 2235"; 193 THENCE N60°33'51"E, a distance of 819.53 feet to a 5/8" 194 rebar with a plastic cap stamped "Norsworthy PLS 2235"; THENCE N65°56'00"E, a distance of 855.43 feet to a 5/8" 195 196 rebar with a plastic cap stamped "Norsworthy PLS 2235"; THENCE S06°39'52"W, a distance of 167.32 feet to a 5/8" 197 198 rebar with a plastic cap stamped "Norsworthy PLS 2235"; THENCE S17°27'52"E, a distance of 240.29 feet to a 5/8" 199 200 rebar with a plastic cap stamped "Norsworthy PLS 2235";

201 THENCE S34°34'14"E, a distance of 384.45 feet to a 5/8" 202 rebar with a plastic cap stamped "Norsworthy PLS 2235"; THENCE S86°58'59"E, a distance of 193.42 feet to a 5/8" 203 204 rebar with a plastic cap stamped "Norsworthy PLS 2235"; 205 THENCE S09°39'02"E, a distance of 800.21 feet to a 5/8" 206 rebar with a plastic cap stamped "Norsworthy PLS 2235"; 207 THENCE S70°21'17"W, a distance of 409.82 feet to a 5/8" 208 rebar with a plastic cap stamped "Norsworthy PLS 2235"; THENCE S59°26'51"W, a distance of 587.94 feet to a 5/8" 209 rebar with a plastic cap stamped "Norsworthy PLS 2235"; 210 THENCE S52°00'37"W, a distance of 269.32 feet to a 5/8" 211212 rebar with a plastic cap stamped "Norsworthy PLS 2235"; THENCE S15°30'30"E, a distance of 647.94 feet to a 5/8" 213 214 rebar with a plastic cap stamped "Norsworthy PLS 2235"; THENCE S09°04'42"E, a distance of 779.77 feet to a 5/8" 215 rebar with a plastic cap stamped "Norsworthy PLS 2235"; 216 217 THENCE S08°27'07"E, a distance of 508.03 feet to a 5/8" 218 rebar with a plastic cap stamped "Norsworthy PLS 2235"; THENCE S13°19'43"W, a distance of 201.64 feet to a 5/8" 219 220 rebar with a plastic cap stamped "Norsworthy PLS 2235"; 221 THENCE S01°05'15"E, a distance of 787.24 feet to a 5/8" 222 rebar with a plastic cap stamped "Norsworthy PLS 2235"; THENCE S03°53'24"E, a distance of 881.25 feet to a 5/8" 223 224 rebar with a plastic cap stamped "Norsworthy PLS 2235"; 225 THENCE S13°15'24"W, a distance of 288.39 feet to a 5/8" 226 rebar with a plastic cap stamped "Norsworthy PLS 2235" 227 set on the South line of the W1/2 of said Section 33; 228 THENCE N88°46'02"W along the South line of the W1/2 of 229 said Section 33, a distance of 1981.28 feet; THENCE 230 N88°59'23"W continuing along the South line of the W1/2 of 231 said Section 33, a distance of 286.30 feet to the Southwest corner of the W1/2 of said Section 33, a 5/8" rebar with an 232233 aluminum cap stamped "Norsworthy PLS 2235"; THENCE continuing N88°59'23"W along the South line of the E1/2 of 234 235 said Section 32, a distance of 1174.98 feet to a 5/8" rebar 236 with a plastic cap stamped "Norsworthy PLS 2235" set in 237 the centerline of an existing road; THENCE Northwesterly

SB 1011	10
238	along the centerline of said existing road, the following 7
239	courses and distances:
240	1) N53°07'50"W, a distance of 232.94 feet;
241	2) Northwesterly along the arc of a curve to the right, a
242	distance of 329.08 feet, said curve having a radius of 853.54
243	feet and a central angle of 22°05'25";
244	3) N31°02'27"W, a distance of 174.37 feet;
245	4) Northwesterly along the arc of a curve to the left, a
246	distance of 114.74 feet, said curve having a radius of 376.24
247	feet and a central angle of 17°28'24";
248	5) N13°34'03"W, a distance of 60.83 feet;
249	6) Northwesterly along the arc of a curve to the left, a
250	distance of 116.41 feet, said curve having a radius of 135.37
251	feet and a central angle of 49°16'19";
252	7) N62°50'22"W, a distance of 45.54 feet to a 5/8" rebar with
253	a plastic cap stamped "Norsworthy PLS 2235" set in the
254	Easterly right-of-way line of State Highway "Y";
255	THENCE Northerly along the Easterly right-of-way line of
256	said Highway "Y" the following 12 courses and distances:
257	1) N10°58'49"E, a distance of 596.72 feet;
258	2) Northerly along the arc of a curve to the left, a distance
259	of 532.04 feet, said curve having a radius 1202.90 feet and
260	a central angle of 25°20'30";
261	3) N14°53'34"W, a distance of 443.59 feet;
262	4) Northerly along the arc of a curve to the right, a
263	distance of 188.16 feet, said curve having a radius of 929.48
264	feet and a central angle of 11°35'55";
265	5) N03°08'38"W, a distance of 881.47 feet;
266	6) N02°01'44"W, a distance of 385.89 feet;
267	7) Northerly along the arc of a curve to the left, a distance
268	of 294.42 feet, said curve having a radius of 1020.52 feet
269	and a central angle of 16°31'47";
270	8) N13°33'40"W, a distance of 411.18 feet;
271	9) Northerly along the arc of a curve to the right, a

10) N04°25'44"W, a distance of 542.80 feet; 274

feet and a central angle of 09°32'33";

272

273

distance of 145.39 feet, said curve having a radius of 872.95

287

288289

275	11) Northerly along the arc of a curve to the right, a
276	distance of 129.35 feet, said curve having a radius of 676.80
277	feet and a central angle of 10°57′00" to a 5/8" rebar with a
278	plastic cap stamped "Norsworthy PLS 2235" set on the
279	North line of the E1/2 of said Section 32;
280	12) N06°30'24"E, a distance of 7.44 feet to a $5/8$ " rebar with
281	a plastic cap stamped "Norsworthy PLS 2235" set on the
282	North line of the E1/2 of said Section 32;
283	THENCE S88°50'26"E along the North line of the E1/2 of
284	said Section 32, a distance of 2306.00 feet to the point
285	beginning. Contains 547.327 acres, more or less.
286	2. The commissioner of administration may set the term

- 2. The commissioner of administration may set the terms and conditions for the conveyance as the commissioner deems reasonable so long as such terms do not conflict with the requirements of subsection 1 of this section.
- 3. The attorney general shall approve the form of the instrument of conveyance.
- 4. The property described under subsection 1 of this section shall be sold, transferred, granted, conveyed, remissed, released, and forever quitclaimed by the director of the department of natural resources by December 31, 2016.

Section B. Because immediate action is necessary to generate revenue 2 from the sale of state property, the enactment of section A is deemed necessary 3 for the immediate preservation of the public health, welfare, peace and safety, 4 and is hereby declared to be an emergency act within the meaning of the 5 constitution, and section A of this act shall be in full force and effect upon its 6 passage and approval.